

Designated Accessible Parking Requirement Table

Total number of parking spaces required	Number of designated accessible parking spaces
4-10	1
11-20	2
21-50	3
51-75	4
76-100	5
100-200	6
More than 200	1 additional space for each additional 100 spaces

GFA		approximate building dimensions	Required Parking (Retail)		Required Parking (Restaurant *GFA Based Calculation only)	
m2	sq.ft		Standard	Accessible	Standard	Accessible
100	1,076		40' by 25'	3.6	0	11.1
150	1,615	40' by 40'	5.4	1	16.7	1
200	2,153	40' by 55'	7.1	1	22.2	3
250	2,691	40' by 65'	8.9	1	27.8	3
300	3,229	50' by 65'	10.7	2	33.3	3
350	3,767	50' by 75'	12.5	2	38.9	3
400	4,306	100' by 45'	14.3	2	44.4	3
450	4,844	100' by 50'	16.1	2	50.0	3
500	5,382	100' by 55'	17.9	2	55.6	4
550	5,920	100' by 60'	19.6	2	61.1	4
600	6,458	100' by 65'	21.4	3	66.7	4
650	6,997	100' by 70'	23.2	3	72.2	4
700	7,535	100' by 75'	25.0	3	77.8	5
750	8,073	100' by 80'	26.8	3	83.3	5
800	8,611	100' by 85'	28.6	3		
850	9,149	100' by 90'	30.4	3		
900	9,688	100' by 95'	32.1	3		
950	10,226	100' by 100'	33.9	3		
1,000	10,764	100' by 110'	35.7	3		
1,500	16,146	100' by 160'	53.6	4		
2,000	21,528	200' by 110'	71.4	4		
2,500	26,910	200' by 135'	89.3	5		
3,000	32,292	200' by 160'	107.1	6		
3,500	37,674	200' by 190'	125.0	6		
4,000	43,056	200' by 215'	142.9	6		
4,500	48,438	200' by 240'	160.7	6		